



NOTE:
PROVIDE CONTINUOUS
RIDGE VENTS

ASPHALTIC
COMPOSITION ROOF
5/8" OSB ROOF
SHEATHING

PREMANUFACTURED
ROOF TRUSSES @ 24" O.C.

12
5

ONE-HOUR
FIRE-RATING
UL-R350I
G.A.# RC 2603

RESILIENT METAL
FIRING CHANNELS
@ 12" O.C.
3/4" TYPE 'X'
GYP. BD.

ONE-HOUR
FIRE-RATING
UL-R350I
G.A.# FC5101

RESILIENT METAL
FIRING CHANNELS
@ 16" O.C.
1/2" TYPE
'X' GYP.
BD.

DOUBLE 2x4
TOP FLUTE

3/4" GMB
R-14
INSULATION

ONE-HOUR
FIRE-RATING
UL-R350I
G.A.# FC5101

RESILIENT METAL
FIRING CHANNELS
@ 16" O.C.
1/2" TYPE
'X' GYP.
BD.

11 1/2" JOISTS
@ 16" O.C.

RESILIENT METAL
FIRING CHANNELS
@ 16" O.C.
1/2" TYPE
'X' GYP.
BD.

DOUBLE 2x6
TOP PLATE

11 1/2" JOISTS
@ 16" O.C.

11 1/2" JOISTS
@ 16" O.C.

B BUILDING SECTION
SCALE: 1/2" = 1'-0"

TOP PLATE = 124'-1 3/4"

3rd FLOOR = 120'-2 3/4"

CEILING = 118'-3 3/4"

CEILING = 108'-10 5/8"

1st FLOOR = 100'-0"

REFERENCE
FACIA DETL
SHEET A-2
(SIMILAR)

2x6 CAP RAIL
2x6 RAIL
2x2 BALUSTARS
@ 8" O/C
2x6 KICKER

EXTERIOR
FINISH (SEE
ELEVATIONS)
5/8" GYPBD.
SHEATHING

EXTERIOR
FINISH (SEE
ELEVATIONS)
5/8" GYPBD.
SHEATHING

2x6 COMPOSITE
DECKING @ 6" O.C.
2x10 R.S. CEDAR 5/15
@ 16" O.C.
2nd FLOOR = 110'-1 3/8"

3x12 R.S. BM OR
3.25x11 1/2" LVL
SOLID
BLOCKING
@ ENDS

EXTERIOR
FINISH (SEE
ELEVATIONS)
5/8" GYPBD.
SHEATHING

SEE FOUNDATION DRAININGS

APPROXIMATE STAIR ENCLOSURE ROOF PEAK (HT)
3'-11 1/2"

STORAGE ROOM
PLATE LINE

2x4 EXTERIOR
WALL SYSTEM
(SIM. TO BLDG.)

3/4" BLUD
FLOORING

2x10 F.L.S.
@ 16" O/C
5/8" GYPBD

2x4 EXTERIOR
WALL SYSTEM
(SIM. TO BLDG.)

3/4" BLUD
FLOORING

2x10 F.L.S.
@ 16" O/C
5/8" GYPBD

2x4 EXTERIOR
WALL SYSTEM
(SIM. TO BLDG.)

2x4 EXTERIOR
WALL SYSTEM
(SIM. TO BLDG.)

SEE FOUNDATION DRAININGS

A STAIR SECTION
SCALE: 1/2" = 1'-0"

12

12
10

ONE-HOUR
FIRE-RATING
UL-R1416, U304
G.A.# WP 3242

ONE-HOUR
FIRE-RATING
UL-R350I
G.A.# RC 2603

ONE-HOUR
FIRE-RATING
UL-R350I-4T, U304
G.A.# WP 3104

ONE-HOUR
FIRE-RATING
UL-R350I-4T, U304
G.A.# WP 3104

REFERENCE
FACIA DETL
SHEET A-2
(SIMILAR)

RESILIENT METAL
FIRING CHANNELS @ 16" O/C
5/8" TYPE 'X' GYPBD
SHEATHING

RESILIENT METAL
FIRING CHANNELS @ 16" O/C
5/8" TYPE 'X' GYPBD
SHEATHING

RESILIENT METAL
FIRING CHANNELS @ 16" O/C
5/8" TYPE 'X' GYPBD
SHEATHING

RESILIENT METAL
FIRING CHANNELS @ 16" O/C
5/8" TYPE 'X' GYPBD
SHEATHING

RESILIENT METAL
FIRING CHANNELS @ 16" O/C
5/8" TYPE 'X' GYPBD
SHEATHING

3-1/2" UNFACED
GLASS FIBER
INSULATION
5/8" TYPE 'X' GYPBD

3-1/2" UNFACED
GLASS FIBER
INSULATION
5/8" TYPE 'X' GYPBD

3-1/2" UNFACED
GLASS FIBER
INSULATION
5/8" TYPE 'X' GYPBD

3-1/2" UNFACED
GLASS FIBER
INSULATION
5/8" TYPE 'X' GYPBD

3-1/2" UNFACED
GLASS FIBER
INSULATION
5/8" TYPE 'X' GYPBD

42" HIGH SOLID
RAIL SYSTEM W/
3/4" WOOD CAP
1 1/4" HAND RAIL

42" HIGH SOLID
RAIL SYSTEM W/
3/4" WOOD CAP
1 1/4" HAND RAIL

42" HIGH SOLID
RAIL SYSTEM W/
3/4" WOOD CAP
1 1/4" HAND RAIL

42" HIGH SOLID
RAIL SYSTEM W/
3/4" WOOD CAP
1 1/4" HAND RAIL

42" HIGH SOLID
RAIL SYSTEM W/
3/4" WOOD CAP
1 1/4" HAND RAIL

2x10 L.L.S.T.S @ 16" O/C
5/8" 'X' GYPBD
2x12 STRINGERS
5/4" PINE TREAD W/
NO-SLIP SURFACE
3/4" FIR RISER

2x10 L.L.S.T.S @ 16" O/C
5/8" 'X' GYPBD
2x12 STRINGERS
5/4" PINE TREAD W/
NO-SLIP SURFACE
3/4" FIR RISER

2x10 L.L.S.T.S @ 16" O/C
5/8" 'X' GYPBD
2x12 STRINGERS
5/4" PINE TREAD W/
NO-SLIP SURFACE
3/4" FIR RISER

2x10 L.L.S.T.S @ 16" O/C
5/8" 'X' GYPBD
2x12 STRINGERS
5/4" PINE TREAD W/
NO-SLIP SURFACE
3/4" FIR RISER

2x10 L.L.S.T.S @ 16" O/C
5/8" 'X' GYPBD
2x12 STRINGERS
5/4" PINE TREAD W/
NO-SLIP SURFACE
3/4" FIR RISER

2x4 PT PLATE
W/5/8" ANCHORS.

2x4 PT PLATE
W/5/8" ANCHORS.

2x4 PT PLATE
W/5/8" ANCHORS.

2x4 PT PLATE
W/5/8" ANCHORS.

2x4 PT PLATE
W/5/8" ANCHORS.

SEE FOUNDATION DRAININGS

A STAIR SECTION
SCALE: 1/2" = 1'-0"
CONSTRUCTION DOCUMENTS
TWO-BEDROOM COMPLEX

SHEET NUMBER A7 OF SEVEN	DATE: 07/07/10 DRAWN BY: CHECKED BY: REVISIONS:	BUILDING SECTION STAIR SECTION	UNIVERSITY VILLAGE APTS. BUILDING F 2340 N. 17th STREET, GRAND JUNCTION, COLORADO	GENERAL CONTRACTOR: PRECISION CONSTRUCTION 2932 NORTH AVENUE G.J., COLORADO 81504 (970) 243-3355	 CHRISTOPHER KRABACHER ARCHITECT P.O. BOX 2592, GRAND JUNCTION, COLORADO 81502 1206 ROOD AVENUE, GRAND JUNCTION, COLORADO (970) 243-3587 (970) 640-8831 ckrouray@yahoo.com
---------------------------------------	--	-----------------------------------	--	---	---